

Docking station for dispense heads ACCESSORY



Safe and reliable storage unit for dispense and fill heads during container change

FEATURES

- Versions for wall mounting or for hanging on the container
- Enables flushing of the dispense/fill head and the system line (flare connection on the underside)
- Collection bottle included
- Storage for drum wrench and dip tube closures

Over 1000 dip tubes.

For every container and virtually any length. Over 1000 standard variants. Optional bellows-type length compensator for virtually complete emptying. In addition, the dip tubes can be pre-installed in the containers by the chemical supplier or the container manufacturer. Safe, simple and clean.



SIMPLY CONFIGURE ONLINE!

Create your individual AS dispense heads with just a few clicks.



www.mydispensehead.com


Docking station for dispense heads ACCESSORY

STANDARD VERSION

Product line	Quantity Dispense head Holders	Suspension	Material	Storage for drum wrench	Collection bottle included	Item number
QC2	1	Wall	HDPE	Yes	Yes	RDC-89740
QC2	1	Wall	Electr. conductive	No	No	RDC-89740-CD
QC2	1	Container	HDPE	No	Yes	Standard IBC: RDC-89740-S Rikutec IBC: RDC-89740-R
QC2	2	Wall	HDPE	No	Yes	RDC-89741
QC2 with limit switch	1	Wall	HDPE	Yes	Yes	RDC-89755
QC3	1	Wall	HDPE	No	Yes	RDC-89743
G-Series	1	Wall	HDPE	Yes	Yes	RDC-89750
G-Series	1	Wall	Electr. conductive	No	No	RDC-89754
G-Series	1	Container	HDPE	No	Yes	Standard 200 l Fass: RDC-89752
G-Series	2	Wall	HDPE	No	No	RDC-89753
G-Series with limit switch	1	Wall	HDPE	Yes	Yes	RDC-89756

Flushing the system line

The dispense and fill heads are completely sealed in the docking station. The entire system line can be flushed via the flushing connection at the bottom.



Docking station for dispense heads

6 good reasons for the QC-System®:

- Clean delivery with preinstalled dip tube
- Fast connection with easy to use key code system that prevents chemical mix-ups
- Emission-free dispensing with integrated ventilation
- Drip-free disconnection
- High purity and chemically resistant materials
- Worldwide in use, well-known references



Chemical consumers from a wide range of industries already rely on the AS QC System® worldwide

Electronics Semiconductors
Solar technology and photovoltaics
Flat screens

Industry Electroplating
Chemicals
Printing/Paper
Water treatment
Automotive / mechanical engineering
Adhesives
Glass
Agriculture

Pharmacy / Biotechnology / Cosmetics / Foods

Laboratories / Research facilities / Institutes

EUROPE – WORLDWIDE

AS Strömungstechnik GmbH

Elly-Beinhorn-Str. 7
73760 Ostfildern, Germany

Tel.: +49 (0) 711 220 548-0
Fax: +49 (0) 711 220 548-29

info@asstroemungstechnik.de
www.asstroemungstechnik.de

USA

A.S. Plastics Technology, Inc.

644 Shrewsbury Commons
Avenue #246
Shrewsbury, PA 17361 USA

Tel.: +1 (979) 232-2288

sales@as-plastech.com
www.as-plastech.com

ASIA – PACIFIC

DUSEMUND PTE LTD
Dr. Claus Dusemund

25 International Business Park
#04 – 62 German Centre
Singapore 609916

Tel.: +65 6562 7871
Fax: +65 6562 7872

claus@dusemund.com
www.dusemund.com



QC® - an AS Strömungstechnik GmbH system. Made in Germany.
www.asstroemungstechnik.de