



Our safest dip tube cap!

Maximum Safety. Functional Design.

At AS, we are constantly innovating with the goal of improving the safety and efficiency of our chemical dispensing systems. The QC-Guard, one of our latest innovations, is a dip tube cap that goes above and beyond industry requirements to provide the best double containment and tamper proof seal on the market. Double containment and tamper-proofing provide safety and peace of mind for all parties, while a low-profile design, tight secondary seal, and customizable features provide functional design improvements.

Tamper-proof Double Containment.

The QC-Guard maximizes safety, purity, efficiency, and traceability of your processes:

- The QC-Guard's flat, low-profile design reduces its footprint above your container, minimizing the risk of contact with a forklift and other operations.
- Its compact design and tight seal prevent contamination from dirt and dust.
- A customizable logo provides reliable identification of the chemical's origin.


THE ADVANTAGES

- **Low height:** Minimizes the risk of being sheared off during forklift handling.



- **Double protection*:** Seals the dip tube in combination with the "S" Closure, providing double containment during transportation.

- **Cleaner:** The cap covers the entire diameter of the dip tube to protect the dip tube from dust and dirt during transport.










- **Tamper-Proof Marking:** Customize the tamper proof seal with your company logo to ensure you have closed the container and it is ready for transport.



SEE FOR
YOURSELF



ORDERING INFORMATION/CAP

Dip tube product line		Cap version	Gasket material	Item no.
QC2		Standard (blue)	POE	QCG-C-DT-1
			PE	QCG-C-DT-1-PE
		Recirculation (red)	POE	QCG-C-DT-1-R
			PE	QCG-C-DT-1-PE-R
		Vented for H2O2 (green)	POE	QCG-C-DT-1-V
		Electrically conductive (black)	POE	QCG-C-DT-1-CD
			PE	QCG-C-DT-1-PE-CD
	G-Series		Standard (blue)	PE
POE				QCG-C-GT2-1-PE
QC3		Standard (blue)	FEP encapsulated silicon	QCG-C-DT3-1
		Vented for H2O2 (green)		QCG-C-DT3-1-V

Further materials and combinations upon request.

ORDERING INFORMATION/SEAL

Color		Option	Item no.
Green		Standard	QCG-S-G
Green		With customized logo	QCG-S-G-LOGO
Red		Return shipment	QCG-S-R
Light Blue		Standard for green / vented cap	QCG-S-HB

ORDERING INFORMATION/DIP TUBE including QC-GUARD

Example	Option
DT-62PE-002-0900-SP	Combination of S-Closure and QC-Guard*
DT-62PE-002-0900-P	QC-Guard as primary closure

*Only available for QC2

TORQUE 5 Nm / 3.7ft-lbs

Approvals	In combination with the S-closure, the QC-Guard is covered as a secondary closure in all existing approvals of AS QC2 dip tubes.
	If you would like to use the QC-Guard as a primary closure, please contact our technical sales department.

6 good reasons for the QC-System:

- Clean delivery with pre-installed dip tube.
- Safe connection with mix-up-proof coding system.
- Emission-free removal with integrated ventilation.
- Drip-free uncoupling.
- High-purity and chemically resistant materials.
- In use worldwide, well-known references.



Chemical consumers and suppliers from a wide range of industries already rely on the AS QC System® worldwide.

Electronics Semiconductors
 Solar technology and photovoltaics
 Flat screens

Industry Electroplating
 Chemicals
 Printing/Paper
 Water treatment
 Automotive / mechanical engineering
 Adhesives
 Glass
 Agriculture

Pharmacy / Biotechnology / Cosmetics / Foods

Laboratories / Research facilities / Institutes

EUROPE WORLDWIDE

AS Strömungstechnik GmbH
 Elly-Beinhorn-Str. 7
 73760 Ostfildern, Germany
 Tel.: +49 (0) 711 220 548-0
 Fax: +49 (0) 711 220 548-29
 info@asstroemungstechnik.de
 www.asstroemungstechnik.de

USA

A.S. Plastics Technology, Inc.
 644 Shrewsbury Commons
 Avenue #246
 Shrewsbury, PA 17361 USA
 Tel.: +1 (979) 232-2288
 sales@as-plastech.com
 www.as-plastech.com


ASIA PACIFIC

DUSEMUND PTE LTD
 Dr. Claus Dusemund
 25 International Business Park
 #04 – 62 German Centre
 Singapore 609916
 Tel.: +65 6562 7871
 Fax: +65 6562 7872
 claus@dusemund.com

© AS Strömungstechnik GmbH 2024

CONFIGURE ONLINE NOW!

Create your own individual AS Dispense heads with just a few clicks.



www.mydispensehead.com



QC-System® from AS Strömungstechnik GmbH. Made in Germany.